


**"High Speed Serial IEC Data Storage Solution
for Commodore 64 & 128 Personal Computers"**

- Supports All 1.44MB HD and 1581 DD Standard Floppy Diskettes
- Great for BBS and Archival Applications

**Rear Admiral *FireDrive 2K*[™] 1.6MB Floppy Drive
System
(a.k.a.: The CMD FD-2000 Replica)
Replaces your Commodore 1581 Drive**

Complete Rear Admiral *FireDrive 2K*[™] System




SYSTEM INCLUDES:

Rear Admiral *FireDrive 2K*™ Floppy Drive Unit,
 120~240V 50/60Hz Switching Power Supply, Utilities Diskette,
 Serial Cable and Owner's Manual (PDF)

Rear Admiral *FireDrive 2K*™ - Front Details



Rear Admiral *FireDrive 2K*™ - Rear Details



Key System Features:

◦ **High Speed IEC Serial access with JiffyDOS.
(Computer must also be equipped with JD capability)**

◦ **Fully Compliant with the CMD FD-2000 Floppy Drive System and Surpasses the original design capabilities.**

◦ **Twice the Storage Capacity of conventional 1581 drives.**

◦ **Fully Compatible with 1581 formatted diskettes.**

◦ **Front panel Swap button for instant Device# 8 or 9 operation.**

◦ **Rear panel config for Device# 8 through 15 operation.**

◦ **Integrated CBM Drive Partition Support.
1541, 1571, 1581 drive emulation on configured partition.**

◦ **Integrated Geos & Native Partition Support.
Geos Operating System Support - Bootable Partition Support.**

◦ **Easy Installation - Ready for Instant Operation.
Connect to C64, 64C, SX64, C128 or 128D computer in seconds.**

◦ **Real-time Clock and Date Support.
Built-in RTC Clock provides Date/Time-stamps on files & directories.**