

VOLUME 1 ISSUE 3

commodore PET USERS CLUB NEWSLETTER

Newsletter Contents

EDITOR NOTES
DATA EXCHANGE
COMMODORE NEWS
SOFTWARE
PERIPHERALS & ATTACHMENTS
APPLICATIONS
PROGRAMMING
USERS' DIRECTORY & ANNOUNCEMENTS
COMMODORE AUTHORIZED PET DEALERS

MEMBERSHIP/SUBSCRIPTION

The Charter of the COMMODORE PET USER CLUB is to provide a method of sharing up to date information, and programs relating to the PET Computer between the many PET owners and users.

We would like to publish features from PET Users concerning specific applications interesting discoveries or even bits worthy of sharing. If you would like to contribute to future Newsletters, please send your article, letter or comments to:

THE EDITOR
COMMODORE U.S. PET USERS' CLUB
COMMODORE BUSINESS MACHINES, INC.
3330 SCOTT BLVD.
SANTA CLARA, CALIF. 95050

Editor Notes

Dear Pet User Club Readers:

As User Club membership grows, the charter of this Newsletter-- to provide effective communication between Commodore and its equipment owners and users--becomes increasingly important.

To do this, we rely on hearing from each of you concerning all facets of usage, from intriquing problems to interesting discoveries.

The following error corrections have been noted in Issue 2:

- On Page 8, Mr. James A. Fowler is the author of "WEAVE AND DRAFT" and Mr. Mark Stewart is the author of "DYNAMIC JOB SCHEDULES".
- Page 22. Formatting Routine Program Listing Corrections:
 - Line 26: Delete left parenthesis preceding ABS(X).
 - Line 100: Delete space between X and \$.
 - Line 600: There should be a comma between the two "3s" rather than a semi-colon.

Needless to say, we are always looking for ways to improve this Newsletter. Your comments and suggestions are welcomed.

THE EDITOR

Data Exchange

IN AN EFFORT TO EXPAND COMMUNICATION WITH OUR USERS, THIS SECTION WILL COVER ANSWERS TO YOUR SPECIFIC INQUIRIES NOT COVERED IN OTHER SECTIONS OF THE NEWSLETTER.

In response to Mr. Arthur B. Hunkins, we have published the requirements for high-speed duplication for the PET. Although lengthy, this information should be something all Users could eventually benefit from.


TAPE DUPLICATION HINTS

(by L. Bryant)

A. Explanation of PET recording scheme:

The PET cassette deck uses an unequalized constant current recording method to place data on magnetic tape. The encoding scheme uses three distinct full cycle pulses. (See Figure 1).

FIGURE 1: DATA TIMING



A data zero or one is represented by a pairing (or dipole) of a short and a long pulse. If the short pulse is first, then the dipole is considered to be a zero. If the long pulse is first, the dipole is a one. The byte mark occurs once each byte and provides a reference for byte identification.


B. PET Playback Circuit

The PET cassette playback circuitry first amplifies the recorded signal then passes this through equalization and squaring circuits. Thus a logic-level signal is presented to the computer. The computer measures the time between negative edges of the signal and decodes the data from these measurements.

- C. The following points are important to successful tape duplication:
 - 1. The PET outputs data during WRITE to the cassette with the information carried by the <u>positive</u> transitions and accepts data during READ with the information carried by the negative going edges. See Figure 2.

FIGURE 2: DATA IN/OUT BYTE ID SOARE Short HELDING READ DATA READ DATA

Because of this encoding scheme, the data is polarity sensitive. A 180° phase reversal to proper data produces unreadable data. To check for proper data polarity with an oscilliscope, connect the scope to monitor the READ data from the PET cassette to the computer. Put the tape to be checked into the cassette and press PLAY. Set the horizontal rate to 100 micro-seconds per centimeter, and the triggering for negative going edges. Set the vertical scale to 1 volt per division and center the waveform on the screen. Adjust the scope trigger so that the displayed waveform is at the center of the left edge of the screen. The signal should appear as shown in Figure 3, with the negative going edges of the short and long pulses clearly visible. Depending on the scope used and the data, the byte mark negative edges may also be visible.



Try switching the polarity of the scope trigger to positive going edges and observe if the positive edges are closer to the proper timing than the negative edges. If the positive edges are better, then the recorded data has the wrong polarity.

- 3. Because of the great high frequency emphasis encountered with audio cassette recording the phase of the signal may shift as much as 90° due to this emphasis. This produces read data which is halfway toward being reversed polarity. This situation is evident when scope shows negative and positive edges to be equally far from the proper timing. A partial phase shift (much less than 90°) usually accompanies tape duplication and this is visible on the scope as a widening of the negative going edges. Generally, better duplication has been obtained with the high frequency peaking in the duplicator master deck reduced to nearly minimum.
- 4. The level at which a PET cassette deck records is around 500 nanowebers per meter, (nWb/m), which is just under saturation on low coercivity tapes. It has been found that duplicated tapes perform better when their level is slightly higher than the PET tape level. It is also possible to fully saturate the tape and obtain good duplication results. Generally, then, the rule on recording level is "the higher, the better", providing the duplication equipment can handle these elevated levels.
- 5. The PET cassette data is recorded 1/2 track on 1/8 inch tape. It has been found that when the data is duplicated with some stereo heads, the head skew and differing phase relationship between the 2 tracks causes a distorted signal and reduced readability. It is therefore best to use mounaural heads on duplicator slaves which are to be used for duplicating PET tapes.

For high volumn cassette tape reproduction you may wish to contact either of the following companies which currently produce Commodore Master Library Programs.

CORY SOUND
440 Brannan St.
San Francisco, Ca. 94107

AMERICAN SOUND
8120 Webb Ave.
North Hollywood, Ca. 91605

ATTN: Phil Markinson ATTN: Rick Hutchinson

Commodore News

NEW ROMS

A new set of Operating System ROMS - VERSION 2 will be available through your local authorized PET Dealer within the next 30 days. The price will be \$49.95. A description of the major differences appear in the PERIPHERAL & ATTACHMENT section of this NEWSLETTER. When ordering, your dealer will need the serial number of your PETs' Main Logic Board Assembly (i.e. 320008,320081, 320132, or 320137).

NEW PRODUCTS

In our first NEWSLETTER we announced May production shipments for most of our new PETS and PERIPHERALS. We are pleased to report that during March, shipments commenced on the 16K and 32K Graphics Keyboard PETS.

This achievement was accomplished despite the entire relocation of our Manufacturing facility, to our Corporate Headquarters in Santa Clara. Visit your local PET DEALER (listed in this NEWSLETTER) to see the first in a series of exciting product introductions.







Software

NEW SOFTWARE

The following programs from our operation overseas are in the process of being added to our Master Library. Pricing and Ordering information will be included in our next issue.

BACKGAMMON

Plays Backgammon against you or against itself. An "aggression" level between 0-12 can be set. Complete introductory instructions included.

BOOKS

The "BOOKS" 2.0 book-keeping program has been professionally written for students of accounting, so that they may familiarise themselves with the processes of double entry book-keeping by seeing the impact of transactions upon displayed accounting statements. The program is also useful to persons preparing or simulating the accounts of small businesses, in that figures entered as a simplified trial balance may be directly displayed as accounting statements and further amended at will by the entry of transactions in the usual way.

BASIC STATISTICS PACKAGE I

Mean, median, variance, standard deviation, skewness, kurtosis, frequency distribution, linear regression, T-tests, correlation analyses. Data is handled in DATA statements.

BASIC STATISTICS PACKAGE II

Six commonly used tests for running directly with data tapes: Paired t, Upaired t, Linear Regression, Man-Whitney, Wilcoxon, Spearman.

STRATHCLYDE BASIC COURSE

Written by Professor Andrew Collin who uses it to give new-comers to computing a very rigorous introduction to the PET and its BASIC. The package contains 12 programs and a large Workbook with many examples. The package is thoroughly recommended.

USER PORT COOKBOOK

A manual for connecting devices to the User Port. A program which lets you maintain and modify any registers you wish is included. The 6522 specification is included as an appendix.

SOFTWARE REVIEW

SOME COMMON BASIC PROGRAMS

The cassette version of SOME COMMON BASIC PROGRAMS was made specifically for the COMMODORE PET. (See PUBLICATIONS Section for review on the book version) The cassette reads closely with the book, except for afew listings, but the explanations, sample runs still apply.

The file names on the tape are the page number on which the program can be found in the book. For instance, you look in the book for LAST PAYMENT ON A LOAN and type LOAD "33". This will aid you in having less typos which can cause you to miss the program. Another convience is if you wish, you can scan the tape and find how close you are to a given program and which way to go to find it.

Below we have listed the 76 short programs contained in this well produced cassette.

Future Value of an Investment Future Value of Regular Deposits (Annuity) Regular Deposits Regular Withdrawals from an Investment Initial Investment Minimum Investment of Withdrawals Nominal Interest Rate on Investments Effective Interest Rate on Investments Earned Interest Table Depreciation Rate Depreciation Amount Salvage Value Discount Commercial Paper Principal on a Loan Regular Payment on a Loan Las Payment on a Loan Remaining Balance on a Loan Term of a Loan Annual Interest Rate on a Loan Mortgage Amortization Table Greatest Common Denominator Prime Factors of Integers Area of a Polygon Parts of a Triangel Analysis of Two Vectors Operations on Two Vectors Angle Conversion: Radians to Degrees Angle Conversion: Degrees to Radians Coordinate Conversion Coordinate Plot Plot of Ploar Equation Plot of Functions

Linear Interpolation Curvilinear Interpolation Integration: Simposn's Rule Integration: Trapezoidal Integration: Gaussian Quadrature Derivative Roots of Quadratic Equations Real Roots of Polynomials: Newton Roots of Polynomials: Half-interval Search Triq Polynomial Simultaneous Equations Linear Programming Matrix Addition, Subtraction, Scalar Multiplication Matrix Multiplication Matrix Inversion Permutations and Combinations Mann-Whitney "U" Test Mean, Variance, Standard Deviation Geometric Mean and Deviation Binomial Distribution Poisson Distribution Normal Distribution Chi-square Distribution Chi-square Test Student's "t" Distribution Student's "t" Distribution "F" Distribution Linear Correlation Coefficient Linear Regression Multiple Linear Regression "N"th Order Regression Geometric Regression Exponential Regression System Reliability Average Growth Rate, Future Projections Federal Withholding Taxes Tas Depreciation Schedule Check Writer Recipe Cost Map Check Day of the Week Days Between Two Dates Anglo to Metric Alphabetize

If you would like to order this cassette please send your check for \$10.00 to:

OSBORNE & ASSOCIATES, INC. 630 BANCROFT WAY BERKELEY, CALIF. 94710

Break-Even Analysis (by C. West:

(by C. Westfall/J. Parsons)

In Volume 1, Issue 2 of our Newsletter, Break-Even analysis was listed on page 10. The program features the 'form' method of entering and displaying data; which provides a quick and easy method of entering and editing data. The program contains several modules which with slight modifications can serve many purposes. For this reason, each module will be discussed in detail as the 'printing of the form' was discussed in our last issue.

In order to understand how lines 40-90 control input from the form, it is necessary to know what each variable represents and how it is used.

Variable Name	Value or Description of its Function
A B C D I TE	field row position on screen field column position on screen field length position of the cursor within a field the number of the field the total number of fields
A\$ B\$ C\$ D\$	home plus 25 cursor downs 25 cursor lefts 40 spaces input from keyboard input from the screen when a field is ex ited. It equals the number printed on the screen.
W\$	return + cursor up + cursor down + clear home + home + delete + cursor left +
Υ\$	cursor right + space + insert 1 2 3 4 5 6 7 8 9 0

Controlling input from the form

Line Number	Function
30	The screen is used as a file and open 3, 3 enables the program to access it. I is set equal to zero which is our first field, in this case FIXED COST.
	Function
40	This line is only accessed when you enter a new field either by beginning the program or using cursor controls to change fields.

A, B and C take on the values of the new field's row, column and length respectively. D is set to 1, placing the cursor at the first space in the field except when a delete or cursor left moves you out of a field into the last space of the previous field. If a delete is used D\$+ cursor left, space and cursor left sets D\$= cursor left.

B=B+C-l places the cursor at the end of the previous field for simulating the cursor (spacing over).

D=C indicates that the cursor is at the end of the field to prevent input over the field length.

The subroutine starting at line 2000 simulates a cursor, gets the input from the keyboard, edits input from the keyboard for invalid data and resets several variables. Note that this sub-routine is only executed when the cursor is moved from one field to another. This module will be discussed in greater detail in our next issue.

K (I)=VAL (S\$) stores the numerical value of S\$ in K(I) so that the first field is stored in K(0), the second in K(1) and etc.

Is a duplicate of 80 and should be omitted.

If the last accepted keyboard entry was a delete (D\$=cursor left) then control jumps to line 84.

The FOR NEXT loop in this line compares D\$ (the last accepted input from the keyboard with the first five characters in W\$: i.e. RETURN, cursor right, cursor left, clear home or home.

If D\$ matched one of the first five elements in W\$ then control is transferred as follows:

<u>D\$</u>	<u>J</u>	GO TO
RETURN	1	90
cursor up	2	84
cursor down	3	86
clear home	4	88
home	5	89

However, should D\$ not be one of these five characters J will have a value of 6. Thus, this line will transfer control to line 86.

50

78

80

81

82

84	Accessed only when a cursor up has been typed in, or a delete or cursor back has put you in another field.
	I=I-l puts you in the previous field.
	If I 0 then I=TE: Should you be in the first field this places you in the last field offering total wrap around.
85	Returns control to 40.
86	Accessed only when the last accepted input was a cursor down, a field filled to capacity, or a cursor right carries you into the next field.
	I is increased by one to carry you into the next field. If you are in the last field, I=0 places you in the first field.
87	returns control to line 40.
88	Accessed only when a clear home has been typed.
	3000-3020 clears the fields on the screen and resets the stored value of each field to zero.
89	Executed for both a clear home or home.
	Sets I to \emptyset to place the control in the first field.
	returns control to line 40.
90	100-140 edits the input for incorrect data.
	If data is acceptable then the calculations are performed and the answers displayed by lines 160-290.
	Should the data be inadequate an error message is printed by lines 900-910.
	Control is returned to line 40.

Our next issue will examine the method employed to edit the input. (Lines 2000-2220)

OTHER PET USER NEWSLETTERS

NAME FOR ORDERING INFORMATION WRITE:

Box 550 → CURSOR

Goleta, CA 93017

→ THE PAPER P.O. BOX 43

Audubon, PA 19407

→ THE PET GAZETTE 1929 Northport Dr.

Room 6

Madison, WI. 53704

→ PET USER NOTES Box 371

Montgmeryville, PA 18936

→ SPHINX PET NEWSLETTER Lawrence Hall of Science

Computer Project

University of California Berkeley, CA. 94720

If we have forgotten your favorite PET Newsletter please inform us for updating our next NEWSLETTER.

PUBLICATIONS

Below is alist of books and manuals that fit into today's mode of personal computer information. Although the computer market has greatly increased, not all book stores are plentiful in this area. Therefore, we intend to release the titles and authors of quality information upon acknowledgement. They will be alphabetized, by title, for quick reference, priced and a short scholium of each book shall be included until the list becomes unmanagable. If your local PET dealer or bookstore does not carry the title you're interested in, contact the publisher directly.

→ BASIC FOR HOME COMPUTERS

by B. Albrecht, L. Finkel and J. Brown

This is an excellent source for the PET beginner. It's format is self-instructional and makes mastery of the BASIC easy. Becuse of its completness, access to a Personal Computer is not even necessary to learn BASIC with this book. John Wiley & Sons, Inc.

605 Third Ave. \$5.95

Publisher: New York, N.Y. 10016 334 pgs.

→ BEST OF THE PET GAZETTE by Len Lindsay

all PET owners.

This edition is an accumulation of the best information published by the non-profit magazine THE PET GAZETTE. It is an excellent source of available programs and is full of articles contributed from Users. This edition is a must for

PET GAZETTE

1929 Northprot Dr. Donation - \$10.00 Max.

Publisher: Room 6, Madison, WI. 53704 95 pages

→THE CHANNEL DATA BOOK

by Bill Lewis of Channel Data Systems

The CHANNEL DATA BOOK is the best reference book of Useroriented, PET related products that we've found on the market. It's directory includes EVERYTHING that PET USERS would possibly want:

SOFTWARE

HARDWARE & PERIPHERALS

LITERATURE AND PERIODICALS OF SPECIAL INTEREST TO PET USERS LISTINGS OF USER GROUPS & DISTRIBUTION CROSS REFERENCE BY PRODUCT TYPE & SUPPLIER

Prices and dealers are shown along with a short comment. The book includes an attractive 3-ring binder and updated supplements are sent at no additional cost. Definitly reccommended for ALL PET USERS.

\$20.00 6% sales tax for Calif. residents. Publisher: Goleta, Ca 93017

→ GETTING STARTED WITH YOUR PET (\$3.95)

- → PET STRING AND ARRAY HANDLING (\$3.95)
- → PET GRAPHICS (\$4.95)
- → PET CASSETTE (\$4.95)
- → PET MISCELLANEOUS (\$3.95)
- → PET CONTROL AND LOGIC STATEMENTS (\$3.95) by Total Information Services

This array of titles represents six manuals, designed specifically for the PET, each specializing in specific areas. These "workbooks" clearly designate proper ways of programming and how to get the most out of your PET. A definite MUST for your library.

(See titles for Total Information Services individual prices) P.O. Box 921 \$19.95 per set PUBLISHER: Los Alamos, NM 87544

\rightarrow HANDS-ON BASIC WITH A PET by Herbert D. Peckham

This book is a prerequisite for all PET BASIC beginners. It gives the "student" of BASIC a straightforward, simplistic method of understanding BASIC "grammer", as implemented on the PET. Definitly reccommended for each new PET owner.

McGraw Hill

Channel Data Systems

5960 Mandarin Ave.

\$10.95 8171 Redwood Hwy. 267 pgs. Publisher: Novato, CA 94947

→ ILLUSTRATED DICTIONARY OF MICROCOMPUTERS

by Michael Hordeski

Impeccably an excellent genesis of microcomputer terminology. It covers everything from Logic Systems to Data Communications. It is comprised of 4,000 computer terms with clear definitions.

TAB BOOKS

\$7.95 #1088 P.O. Box 40

322 pgs Publisher: Blue Ridge Summit, PA 17214

ightarrow SOME COMMON BASIC PROGRAMS, 2ND EDITION by Mary Borchers and Lon Poole

This book involves the description of numerous programs written in the BASIC programming language. The ability to write programs in BASIC is not necessary, for programs are carefully described and include User examples along with the program listings. Available with this book, is a cassette, which is purchased at a separate price (\$10.00). The cassette has also been reviewed in this issue, you can find it in SOFTWARE REVIEW. Purchased as a set or by themselves, they are a good programming source.

Osborne & Assoc., Inc.

\$8.50 P.O. Box 2036

193 pgs. Publisher: Berkeley, Calif. 94702

\rightarrow PROGRAMMING THE 6502

by Rodney Zaks

This book contains excellent material for learning to program the 6502. Key features and applications of this microprocesser are shown. Its contents ranges from simple to complex therefore it is a paragon to all microprocesser users.

Sybex

\$10.95 2020 Milvia St.

204 pgs. Publisher: Berkeley, CA 94704

→ 24 TESTED, READY-TO-RUN GAME PROGRAMS IN BASIC by Ken Tracton

23 of the Programs presented in Mr. Tracton's book, require 8K of memory, except for 'Star Warp', which needs 20K. Program Listing and Documentation are provided for all programs. The selection of games given could be quite an addition to your recreation library.

TAB Books

\$5.95 P.O. Box 40

251 pgs. Publisher: Blue Ridge Summit, PA 17214

If you've read a good programming book that you feel would benefit our readers and would like to share it with them, please feel free to write our Editor.

Peripherals & Attachments

ROMS VERSION 2 OPERATING SYSTEM

(by J. Feagans)

By retroffiting your existing 8K PET with the Version 2 ROMs, you can add several new software features.

The most important addition to the new ROMs is the Machine Language Monitor, formerly loaded into RAM from the cassette tape, P/N 321000. This monitor allows you to load and save arbitrary blocks of memory, examine and deposit values into RAM, and execute Machine Language Programs with pre-set breakpoints for debugging purposes.

The 6502 NMI (Non Maskable Interrupt) vector has been defined to point at a warm start of BASIC. This allows you to restart a machine without destroying data. Also, a warm start of the Machine Language Monitor is available if you ground the diagnostic sense line on the parallel port while simultaneously applying RESET. (For further explaination refer to Table 7.6 and Table 7.13 in the PET USER MANUAL.)

Some improvements to be noted with the new ROMs are:

- → Arrays may be dimensional as a function of available memory size. (256 element constraint was eleminated)
- → The OPEN statement has been corrected when writing cassette files thereby eliminating the following program patch:

OLD:	CASSETTE 1	CASSETTE 2
	POKE 243,122 POKE 244,2 OPEN 1,1,1,"DATA FILE"	POKE 243,58 POKE 244,3 OPEN 1,2,1,"DATA FILE"
NEW:	CASSETTE 1	CASSETTE 2
	OPEN 1,1,1,"DATA FILE"	OPEN 1,2,1,"DATA FILE"

→ The gap between tape records is automatically extended to the required enter-record gap. The following code is no longer required in conjunction with the PRINT statement:

CASSETTE # 1

CASSETTE # 2

POKE 59411,53 POKE 59456,207

- → The accuracy of the TIME \$ function has been improved.
- → THE RND (∅) function becomes available and is based on a freerunning clock rather than the pseudo random number generated by RND (1).
- → When an attempt is made to open more than lØ files, the following error message will PRINT rather than entering a Lock-up state:
 - "?TOO MANY FILES ERROR"
- →When a checksum error is encountered while loading from the cassette, the load will be terminated rather than loading potential garbage in memory reserved for the operating system.
- → When a program attemps to write data into a file which has been previously defined for input only, the message reads:

? NOT OUTPUT FILE ERROR

The previous ROMs gave the message:

? FILE NOT OPEN ERROR

Applications

In our previous NEWSLETTERS we offered \$50.00 worth of free Master Library Software to the best 'Application' program submitted. This incentive has now been DOUBLED to \$100.00!

For further competitive inspiration, we will be soliciting specific categories of Software each month.* This by no means should stop you from submitting your Application Program just because it doesn't fall within this months' category - send it in and it could be published on its own merit.

Also, for our review staff to be as effectual as possible, please include, with your tape, complete and accurate documentation.

*Current submittals should aid the HOUSEHOLD; personel finance, record keeping, gas mileage file, recipe file, etc....Anything dealing with the efficiency of the American household. The deadline for this application will be May 25, with the "winner" to be announced in early June Why not get some competition going internally with your local USER Group, or compete with another group in your city. Good Luck!

Programming

THIS SECTION WILL BE DEALING WITH USEFUL ROUTINES AND PROGRAMMING TECHNIQUES FOR YOUR PET. SOME ARTICLES COME FROM USERS, SOME FROM OURSELVES, AND THERE IS A 'BITS AND PIECES" SECTION FOR SMALLER YET VALUABLE ITEMS.

LINE LISTER

(by H.S. Patterson)

LINE LISTER is a short BASIC program that can be used as an aid to BASIC programming development. It is less than 1K in size and most lines are numbered above 63000. The program can be loaded and used in viewing the lines of the program being developed.

When RUN is typed and RETURN has been depressed, you are prompted for the starting line. Once the starting line has been entered, the ending line number or a range is then requested. These line numbers are POKED into the program at Line 2. (See Listing below). Upon subsequent RUNs, the RETURN key may be entered to view the same range of BASIC program lines.

If you want to view a particular set number of lines, the letter "R" and a number can be entered at the second prompt. Typing only a RETURN at this point will default to 15 lines, (about one screen's worth of lines).

When an ending line number has been determined, the time of day, and the size of unused memory, FRE(0), is highlighted on the top line along with the listing. The time of day must be initialized by typing in RUN 3 and completing the appropriate entry.

If you keep your program modularized and numbered between 10 and 62999, this small program core can be very convenient in the editing and development of any BASIC program.

```
1 G0T063000
2 LIST00001-63075
3 GOTO63500:REM SET TIME
4 *** LINE LISTER ***
5 *** WRITTEN BY H. SCOTT PATTERSON ***
63000 PRINT"STARTING LINE?AAH";
63010 OPEN1,0: INPUT#1,A$
63020 IFASC(A$)=160THEN63060
63030 SL=VAL(A$):G0SUB63200
63040 L=SL:M=1045:G0SUB63100
63050 L=EL:M=M+6:G0SUB63100
63060 T%=VAL(TI$)/100:T0$=" AM":IFT%=>1200THENT0$=" PM"
63065 IFT%<100THENT%=T%+1200
63070 IFT%=>1300THENT%=T%-1200
63075 T1$=RIGHT$(" "+STR$(T%),4)
63080 PRINT"[]
                ";:PRINTLEFT$(T1$,2)":"MID$(T1$,3,2)T0$;
63085 CLR:PRINT" SPC="FRE(0)" = ";
```

```
63090 GOTQ2
63100 L$=STR$(L):LL=LEN(L$)
63110 FORI=0T04:POKEM-I,48:NEXT
63120 FORI=0TOLL-2
63130 POKEM-I, VAL (MID$(L$,LL-I,1))+48:NEXT:RETURN
63200 PRINT
63205 PRINT"TYPE ENDING LINE #,":PRINT"NEWEGO, OR NERETURNS FOR RANGE AAASS";
63210 INPUT#1,C$
63215 IFASC(C$)=160THENNL=15:PRINT" RANGE="NL:GOTO63235
63220 EL=VAL(C$): IFEL()0THENRETURN
63225 IFASC(C$)()82THENPRINT"[T]"CHR$(13)"N";:G0T063205
63230 NL=VAL(RIGHT$(C$,LEN(C$)-1))
63235 LK=1025:CL=SL
63240 GOSUB63300
63245 IFCL>=SLTHEN 63260
63250 GOSUB63300: IFLK()0GOTO63240
63255 RETURN
63260 FORN=1TONL- 1
63265 GOSUB63300: IFLK=0THENRETURN
63270 NEXT: RETURN
63300 EL=CL:CL=PEEK(LK+2)+PEEK(LK+3)*256
63310 LK=PEEK(LK+1) *256+PEEK(LK):RETURN
63500 INPUT"24 HR TIME, MHHMM■ ";T$
63510 TI$=RIGHT$("0"+T$,4)+"00":RUN
```

WAITING FOR THE CASSETTE

(by J. Parsons)

Some Users may wish to print their own messages to direct the use of the cassettes. This can be done with the use of the BASIC command, WAIT.

The WAIT command will halt the PET Basic program until a bit is set or reset based on the format of the WAIT command.

EXAMPLE: WAIT 59411,8,8

This statement will wait until the 3rd bit (Value of 8) of location 59411 (TAPE #1 CONTROL VECTOR) is reset (BIT = 0). That is, the PET will wait until cassette #1's (internal cassette) motor is turned on.

WAIT 59411,8

This statement will wait until the 3rd Bit of location 59411 is reset (BIT = 1). That is, the PET will wait until cassette #1's motor is turned off.

EXAMPLE PROGRAM FOR CONTROLING TAPE #1:

- 10 PRINT "REWIND TAPE ONE"
- 15 WAIT 59411,8,8
- 20 PRINT "THANK YOU"
- 25 PRINT "PRESS STOP KEY ON TAPE ONE

```
30 WAIT 59411,8
35 PRINT "THANK YOU"
40 PRINT " PRESS PLAY ON TAPE #1"
45 WAIT 59411,8,8
50 PRINT "THANK YOU"
60 OPEN 1,1,0
65 PRINT "FOUND A FILE ON THE TAPE"
70 PRINT "PRESS THE STOP ON TAPE #1"
75 WAIT 59411,8
80 CLOSE1
85 PRINT "THANK YOU"
```

If you wish to control Tape #2 then use "WAIT 59456,16,16" to wait for the motor to start and "WAIT 59456,16" to wait for the motor to stop.

NOTE: The execution of the WAIT Command cannot be stopped with the RUN/STOP key. Therefore, if you instruct the PET to WAIT for a condition that will never occur, the only way to recover control is to reset the PET (turning it OFF and then ON).

To find more on the WAIT command read page B-7 in the PET USER MANUAL. For Boolean operators check page D-2 of the PET MANUAL and page 21 of the MOS PROGRAMMING MANUAL.

PROBING PET'S MEMORY

The following article was written by Karl Hildon and appeared in "The Transactor", Bulletin #9. Accompanying it is a copy of Jim Butterfield's memory map. We thank them for their contribution and permission to allow us to share it with you.

Although other maps have been published, I found Jim's to be the most comprehensive thus far. It lists nearly all of the sub-routines that PET has in ROM and also the areas of RAM that PET uses as registers and buffers. For those who hav en't used a memory map it's as easy as using a city road map. We'll explore this simplicity with a few examples but first a brief explanation of PET memory and the memory map.

ADDRESSING

Every memory location in your PET contains one byte of information. In order for PET to get at these bytes it must have a means of accessing them. Therefore, each and every memory location has its own individual address; all 65536 of them. The microprocessor places these addresses on the address buss which immediately enables one memory location to the data buss. Bearing that in mind, one of two operations can happen now. PET can either place a byte into that location (i.e. POKE) or "look" at what's already there (i.e. PEEK). When performing the first operation the microprocessor places a byte on the data buss and transfers it along the buss and into the enabled memory location.

In the second operation, the information or byte in the enabled location is transferred onto the data buss and along the data buss back to the microprocessor. This location is not "emptied" but rather only a duplicate or copy of the information is transferred. Once either of these operations is complete the microprocessor then places a new address on the <u>address</u> buss and another location is enabled. This process repeats thousands of times every second, however, these operations aren't possible on all memory locations, but I'll explain this later.

The microprocessor has control of 99.9% of the addresses being placed on the address buss. That extra 0.1% control was left for the user and can be obtained through use of the PEEK, POKE and SYS commands. When executing these commands the user must choose an address. This address will be one of the 65,536 memory locations, (i.e. 0 to 65535). This is where the memory map enters the picture. The memory map may well be your most powerful tool for choosing addresses. If you look at the map you'll see that all of the addresses are listed in ascending order down the left hand side; first in hexadecimal and then in decimal. (See section on hexadecimal and binary for explanation of this conversion), the decimal address is the one you use when executing the above 3 BASIC commands. To the right are the descriptions of what you can expect to find at the corresponding addresses. If we then PEEK these addresses we are returned the actual bytes that are in those particular memory locations. For example, let's say during a program we hit the STOP key and got:

BREAK IN 600 READY

PET gets '600' from a storage register at addresses 138 and 139. We could also PEEK these locations and find that 600 is indeed stored in 138, 139. However, it is not stored as a six, a zero and a zero. Instead it is stored as the decimal conversion of the line numbers representation in hexadecimal. All information of this type is returned in this manner. Now that we know what the memory map will help us do let's cover some of the rules.

RAM and ROM

We all go through life with basically 3 types of memory:

- 1. MEMORY PRESENT: This memory we use to remember things like what street we're driving on or our present location.
- MEMORY PERMANENT: Things like our names and fire is hot we never forget.
- 3. MEMORY PAST: Recent occurrences and not so recent such as things we did 10 or 12 years ago.

In the PET there are only two:

1. RAM Random Access Memory: This type of storage is used for our programs and things that change such as the clock and previous line number.

2. ROM Read Only Memory: This is PET's permanent memory. In ROM are the addition routines, clock updating routines and loading routines to name a few. These functions would have to be programmed into PET on each power up if they weren't permanently 'burnt in'.

The third type, memory past, is instantly 'forgotten' on power down. The only way to recall it is to first save it on disk, tape, etc.

Recall earlier I mentioned that POKE and PEEK aren't possible on all memory locations for several reasons:

- A. Not all PET memory locations actually exist. On the memory map, locations 1024 to 32767 is the 'available RAM including expansion'. If you have a PET with 8K, simple arithmetic shows that 3/4 of the available RAM space is non-existent. If you decide to expand your system, PET will 'fit' the added RAM into this area. However, POKing or PEEKing this space (i.e. 8192 to 32767) will return invalid results on 8K PETs.
- B. The same concept applies to locations 36864 to 49151. This is the available ROM expansion area.
- C. Next on the memory map is the Microsoft BASIC area; locations 49152 to 57463. This is the memory that recognizes and performs your commands. Changing the contents of these locations is impossible because it is Read Only Memory and is actually 'burnt in' at the factory. Therefore, POKing these locations will simply do nothing. Also, Microsoft requested that these locations return zeros if PEEKed (for copyright reasons).

With these 3 rules and your memory map you are now equipped to explore capabilities of your PET that you probably never thought possible. Before we try some examples let's go into one more important occurrence that may have had you scratching your head ever since that first power up.

MISSING MEMORY?

When you turn on your 8K (where K - 1024) PET, the first thing it tells you is 7167 BYTES FREE; reduction of almost 12%.

- Q. Where did the missing 1024 bytes go?
- A. It's still there...right below the available RAM space (notice it starts at location 1024). PET uses this memory to do some very useful operations for you which you can find and access by looking them up on the memory map.
- Q. But why not do this in ROM space?
- A. PET needs RAM type memory to store this data because it is always changing. The information in this "low" end of memory is actually produced by routines found in ROM.

Take for example the built-in clock. The clock or time is stored in locations 512, 513 and 514 of RAM. However, the data comes from a routine found in ROM at location $F736_{hex}$. The time is of course always changing, therefore, it must be stored in RAM. But because it is in RAM you may also change it; either by setting TI or TI\$ or you can POKE the above 3 locations. Try it.

Now let's try some examples.

1. Location 226 (OOE2 in HEX) holds the position of the cursor on the line. Try these:

POKE 226,20:?"PRINTS AT NEXT SPACE ?"123456789";:?PEEK(226)

2. Location 245 (OOF5 in HEX) stores the line the cursor is presently on (O to 24). POKing this location will move the cursor to the specified line after a display execution. For example try:

?"A": POKE 245,10:?"B":?"C"

POKE 245,21-1:?"cu":POKE 226,20:?"PRINTS HERE"

The above will move the cursor to line 20 (21-1), print a 'cursor up' on line 21 and display your message starting at column 21, line 20.

While experimenting with out-of-range values I obtained some rather interesting results. Try POKing location 245 with a number greater than 24, say 40 or 60, and hit the cursor up/down key a number of times. Also, experiment with unusual numbers in location 226 such as:

POKE 226,100:?"123456789"

3. Location 526 is the reverse field flag. POKing this address with a non-zero value will execute the following same line print statements in RVS field. Once finished, PET resets 526 to zero. Try this:

POKE 526. 1:?"123":?"456"

now INST a semi-colon between 3" and the colon (i.e. ...23";:?"4...) and re-execute.

4. Notice below the RVS field flag is location 525; the number of characters in the keyboard buffer. Above the RVS flag is the buffer itself at locations 527 through 536. Although this designates 10 buffer locations, there are actually only 9. The tenth (536) is for some reason a "dead" location. During program execution, the operating system scans the keyboard every 60th of a second. If keys are typed, say, during a 'FOR NEXT' loopc, they are stored in the keyboard buffer until the program encounters a GET or an INPUT.* PET then

^{*} or after a BREAK, READY.

'draws out' the contents of the buffer and implements them according to the command involved (GET or INPUT). However, if more than 9 keys are typed during the loop, PET erases the entire contents of the buffer and continues to fill the buffer with the 10th character as if it were the first, and so on ("modulo 10").

In the command mode (i.e. when you're operating PET directly all typed keys go first into the keyboard buffer and then into screen memory or VIDEO RAM. However, you may also load the buffer under program control by POKing the ASCII representations of the characters into sequential locations of the buffer. You must also increment by 1 the contents of 525 each time another character is POKed in, but remember—not past 9. Page 6 of "Transactor" #2 contains a table of all the values for characters and commands. "Transactor" #1, page 12 lists

some extras such as cursor controls and the RETURN key (13). Try the following endless loop. 145 is a cursor up

POKE 525,4:POKE527,145:POKE528,145:POKE529,145:POKE530,13

Some other interesting items are:

POKE59409,52 - Blanks screen POKE59409,61 - Screen back on

POKE59411,53 - Turns cassette motor on

POKE59411,61 - Turns motor off POKE59468,14 - Lower Case mode POKE59468,12 - Graphics mode

POKE537,136 - Disables STOP key and clock

If anyone knows of or discovers and peculiarities by "POKing" around, please send them in. When I receive enough of them a handy dandy 'PETRIX' card will be included in a future "Transactor" bulletin.

THE SYStem COMMAND

On the last three pages of the memory map are listings of the subroutines stored in PET ROM that perform your commands and programs. These subroutines are stored as machine language. When a SYS command is executed PET jumps to the specified decimal address and continues from there in machine language. Take for example the Machine Language Monitor program. This is a machine language program and is initialized by a SYS command stored as a BASIC program line. LOAD and RUN your M.L.M. then type 'X' and hit 'RETURN' to exit to BASIC. Now list. What you'll see is:

10 SYS (1039)

Location 1039 is the address to which PET will jump and also the address at which the first machine language instruction is stored. (listing of all of all of the M.L.M. instructions is in "Transactor" #5, pages 5A and 5B). When this BASIC line is executed PET operates in machine code beginning with address 1039.

The SYS command does not require brackets around the specified address.

Since PET has its subroutines stored in machine language you can use the SYS command to access and execute them. However, you may come up with some rather peculiar if not disastrous results. When jumping into ROM you may find yourself in the middle of a subroutine or at the beginning of a subroutine belonging to a major function routine. Often PET will 'hang-up' or crash and you will be forced to power down to resume normal operation. To demonstrate jumping into the middle of a routine, try the following examples:

- 1. SYS52764 (CE1C)
- 2. SYS62498 (F422)
- 3. POKE523,1:SYS62498 (F422)
- 4. SYS62463 (F3FF)
- 5. SYS64824 (FD48)

The numbers on the right are the addresses of the above sub-routines in hexadecimal. Compare them to the memory map, especially for e.g. #1. Also take a look at 523.

The following are examples of valid locations which you can use with the SYS command to access useful routines, however these routines are already accessible through BASIC.

- 1. SYS62651 (F346)
- 2. SYS62278 (F4BB)
- 3. SYS63134 (F69E)

Example #3 will perform a 'SAVE' but will not produce a tape header.

Experiment with your memory map. Hex to decimal conversions can be obtained using the method following this article.

SUMMARY

This has been merely 'a scratch on the surface' of the extremely complex inner workings of PET. Do not be afraid to experiment with the POKE and SYS commands. There is absolutely nothing you can do to harm PET from the keyboard that turning power off and on won't fix. Also, do some PEEKing around expecially in low end memory. One good way is to write a small monitor program:

10?"c"PEEK(516):GOTO 10

The above will monitor the SHIFT' key. Try running it and depress 'SHIFT'. Compare the map.

When POKing or SYSing to random addresses, remember the address you choose. Often PET will do something which may erase the address from the screen (e.g. SYS64840).

The addresses that have been listed here are only a few of many that are already known and only a minute percentage of the ones no known. Probe around and send in any discoveries, useful, peculiar or otherwise.

Send to:

PET Newsletter Editor Commodore Business Machines, Inc. 3330 Scott Boulevard Santa Clara, California 95050

for publication in future Newsletters.

C	
5	Z
C	
ì	4
Ė	
۴	1
(3
(A. C.
ũ	3
100+	
5	>
í	MI-MORY
(_
•	Ĕ
ř	ī
5	ė
	۹
1	
ř	
P	4

-0001 -0009 -000E -00E1 -00E4 -00E8	237 Number of charact 238 Logical file num 240 File command (fro 241 Device number 242 A3-244 Tape buffer addre 245 Line where curson 246 Last key pushed -00F8 247-248 Tape start addres 249-250 File name pointen 251 Serial bit shift 253 # blocks remainin 254 Serial borcks remainin 254 Serial word buff 255 Serial shift 254 Serial borck start 255 Serial bit shift 256 Serial bit shift 257 Serial borck remainin 258 Serial shift 259 Serial borck start 251 Serial bit shift 254 Serial shift 255 Serial bit shift 256 Serial bit shift 256 Serial borck remainin 256 Serial shift 257 Serial shift 258 Serial shift 258 Serial shift 259 Serial shift 259 Serial shift 259 Serial shift 259 Serial shift 250 Serial	0200 512-514 TI and TI\$ clock - jiffies 0203 515 Which key depressed: 255=no key 0204 516 Shift key: 1 if depressed 0205-0206 517-518 Clock (wussed?) 0207 519 Cassette 1 status switch 0208 520 Cassette 2 status switch 0209 521 Keyswitch BIA: STOP & RVS flags, etc. 0208 522 Load=0, Verify=1 020C 524 characters in keyboard buffer 020B 525 # characters in keyboard buffer 020B 526 Reverse flag	0218 527-536 -021A 537-536 -021C 539-540 541 542 542 544-545 546 547 548 549 550 551 551 551 551
00000 00000 00000 00000 00000 00000 0000		0200- 0203- 0205- 0207- 0208- 0209- 0209- 0200- 0200- 0200-	0229 0219 0210 0220 0222 0224 0226 0226 0227 0227 0228
Current I/9 Device for prompt-suppress Cursor position for Input & Print Integer address from Basic (for SYS, GOTO, etc.) Basic input buffer; # of array subscripts Search character (usually ':' or end-of-line) Scan-between-quotes flag Basic input buffer pointer; number of subscripts Basic input buffer pointer; number of subscripts First-character of array-name; default DIM flag First-character of array-name; default DIM flag Type: FF-string; 00=numeric Type: 80=integer; 00=floating point DATA' scan flag; LIST quote flag; memory flag	Subscript flag; FNx flag O=input, 64=get, 152=read (flag) flag for trigonometric signs/comparison evaluation flag input flag (suppress output if negative) variable pseudo-stack pointer fixed-point pseudo-stack pointer dummy value (0) variable x pseudo-stack pointer for number transfer number pointer product staging area for multiplication start of basic pointer end of basic/start of variables pointer end of variable/start of arrays start of available space pointer bottom of strings (moving down) pointer top of strings *moving down) pointer	limit of Basic memory pointer current program line number previous line number previous line address (for CONT) line number of DATA line memory address of DATA line input vector (DATA, etc.) current variable name current variable address variable pointer for current FOR/NEXT Y save register; new operator save commarison sumbol accumulator: 1 = 2 4	S tion word dary imary acc
2 3 3 3 3 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6	97 98 99 100 101 102 103 104-112 113-114 115-116 117-120 122-123 124-125 126-127 128-129 130-131	134-135 136-137 138-139 140-141 142-143 144-147 148-149 150-151 152-153	156 157-161 162 163-165 166-170 171-175 176-181 182 183 184-189 190

E84F F000-FFFF	E84D-E84E	E84C	E84B	E848-E849	E846-E847	E844-E845	E842-E843	E841	E840	E823	E822	E820	E813	E812	E811	E810	E078-E7F8	C000-E077	9000-BFFF	0400-/FFF	033A-03F9	027A-0339	0279	0278	0277	0276	0275	0274	0273	0272	0271	0270	0260	026A	0268	0266	0265	0264	0263	0262	0261	0260	0256-025F	0242-024B 024C-0255
59471 61440-65535	59469-59470	59468	59466	59464-59465	59462-59463	59460-59461	59458-59459	59457	59456	59427	59426	59424	59411	59410	59409	59408	57464-59384	49152-57463	36864-49151	1024-32/67	826-1017	634-825	633	632	631	630	629	628	627	626	625	624	620	618	616	614	613	612	611	610	609	608	598-607	588-597
Regist t/tape	н		VIA SHILL REGISCER ACS: Tl.Tl.T2.SR.SR.SR.PB.PA	Timer		Timer 1	VIA Data Direction regs, A and B	VIA I/O register A with handshake	1/0 reg:	- IEEE B control	- IEEE B	PIA2 - IEEE A register; (Direction With CRA 2=1)	- Keyboard B control		A control	PIAl - Keyboard A register; (Direction with CRA2=1)		Microsoft Basic	Video KAM	Available RAM including expansion	Tape #2 buffer	Tape #1 buffer	Checksum working word	Cassette read flag		z-byte cntr/tape	lst	Flag for tape error			huffe	Tane write countdown	Serial bit count		Pointer in filename transfer		Tape parity	Output CMD device, normally 3	Input device, normally 0	How many open files	X-save flag	rom		Device numbers of open files

```
D6E6-D701
D702-D71D
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             CEOE
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    CEOB
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             CEO5
                                                                                                                                                                                                                                                                                                                                                                                                                                    D6D0-D6E5
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             D5C4-D5D7
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    D404-D5C3
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           D3D2-D403
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  D36B-D3D1
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         D349-D36A
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                D295-D348
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       D28B-D294
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              D285-D28A
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     D278-D284
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            D264-D277
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       DOB9-D263
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              DO9D-DOB8
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     D099-D09C
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            D088-D098
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   D079-D087
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            D00F-D078
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   CF7B-DOOE
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          CF6E-CF7A
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   CF06-CF6D
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          CED6-CF05
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 CE97-CED5
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        CE3B-CE96
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               CE28-CE39
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      CE21-CE27
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             CE1C-CE20
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    CE11-CE1B
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    CDF7-CE04
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           CDE8-CDF6
                                                  DAFD-DB29
                                                                                                DADE-DAEC
                                                                                                                       DACE-DADD
                                                                                                                                              DA99-DACD
                                                                                                                                                                                                                                              D989-D9B3
                                                                                                                                                                                                                                                                     D95E-D988
                                                                                                                                                                                                                                                                                            D8FD-D95D
                                                                                                                                                                                                                                                                                                                 D8BF-D8FC
                                                                                                                                                                                                                                                                                                                                          D891-D8BE
                                                                                                                                                                                                                                                                                                                                                               D71E-D890
                                                                                                                                                                                                                                                                                                                                                                                                                                                                 D6C4-D6CF
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      D685-D6C3
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             D673-D684
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    D663-D672
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             D654-D662
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    D5D8-D653
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  CDC1-CDE7
                      DB2A-DB2C
                                                                                                                                                                       DA74-DA98
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    does 'garbage collection' - discards unwanted strings
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           builds string vectors
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    checks for various functions
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              checks for special characters (+,-,",.) at start of expression
compares primary accumulator to memory
                                                                                                                                                                                                                                                                                                                                                                                        executes WAIT statement
                                                                                                                                                                                                                                                                                                                                                                                                                                                               gets two arguments (16-bit and 8-bit) from Basic
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        evaluates VAL function
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             gets a single-byte value from Basic
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    performs LEFT$, RIGHT$, MID$ functions
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           performs CHR$ function
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              scans and sets up string elements
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  executes DEF statements and evaluation FNx
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     checks direct/indirect command, gives 'ILLEGAL DIRECT'
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     performs FRE function converts fixed point-to-floating
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     searches for a Basic variable
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          sets up DIM execution
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      checks for special variables TI, TI$ and ST
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             set up a variable name search
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    sets up function for future evaluation
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             prints SYNTAX ERROR and exits
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           checks for left parenthesis
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           evaluates expression within parentheses
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           performs NOT function
                                           extracts primary sign; performs SGN function
                                                                                                                                                                                                                                                                                                                                        contains floating-point constants
                                                                                                                                                                                                                                                                                                                                                               performs addition and subtraction
                                                                                                                                                                                                                                                                                                                                                                                                               performs PEEk and POKE
                                                                                                                                                                                                                                                                                                                                                                                                                                        checks argument is in range 0-65535
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      performs ASC function
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             performs LEN, gets string length
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           performs STR$ function
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              performs PCS function
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            creates a new Basic variable
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   performs comparisons
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          perform the OR and AND functions
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 identifies and sets up function references
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      checks for comma
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    checks for right parenthesis
                           performs ABS
                                                                         rounds the primary accumulator
                                                                                                transfers primary accumulator to secondary
                                                                                                                                              transfers primary accumulator to memory
                                                                                                                                                                                                                routines to multiply or divide by 10
                                                                                                                                                                                                                                            test and adjust primary/secondary accumulators
                                                                                                                                                                                                                                                                                                                   performs LOG function
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     locates and/or creates arrays
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              is floating point-to-fixed conversion for signed values
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   logs Basic variable location
                                                                                                                       transfers secondary accumulator to primary
                                                                                                                                                                                                performs division
                                                                                                                                                                                                                                                                                            performs multiplication
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     is 32768 in floating binary
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            is array pointer subroutine
                                                                                                                                                                       loads primary accumulator from memory ($b0-$B5)
                                                                                                                                                                                                                                                                   loads secondary accumulator from memory ($B8 to $BD)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               C
```

E810	DIAGNOS TEER CASSETTE SENSE KEY BOARD RON SELECT PA	59408
E811	TAPE* 1 SCIENBlank Dut Put DDRA CASSETTE #1 INPUT FIAM CA2 ALCESS Read CONTrol CA1	59409
E812	KEYBOARD ROW INPLIT	59410
E813	Retrace Cassette #1 Motor Output DDRB RETRACE INTER	2. 59411
		_
E820	IEEE INPUT	59424
E821	IFIAE IEEE NOAC OUT DORA IEEE	59425
E822	TEEE OUTPUT	59426
E823	IFIAC DAY OUT CAR ACCESS CONTOL CBI	59427
		-
E840	DAY ARPD RETRACE CASS # 2 CASSETTE ATTN NERD NOAC	59456
E841		59457
E842	DIRECTION REGISTER B [FOR E 840]	59458
E843	Direction REGISTER A [FOR E 84F] LP.U.P.)	59459
E844	TIMER 1	59460
E845	#	59461
E846	TIMER 1	59462
E847	LATCH H	59463
E848	Timer 2	59464
E849	HOLER Z	59465
E84A	TI CONTROL IT'S COULD SMITH TEG. CONTROL PB, PA LATER,	59466
E84B	PB7 out Free Run PB & South CBI IN CA2 (Graphics, Low Cost) CAI IN	59467
E84C	in/out control consette In/out control Polarity	59468
E84D	TRO TI TO CBI IN CBZ SR CRIPURS CAD STATUS INT INT POINTY INT	59469
E84E	CLEARYSET INT ENAB INT ENAB INT ENAB INT ENAB INT ENAB INT ENAB	59470
E84F	PARALLEL USER PORT 1/0 (PA)	59471

BITS AND PIECES

Clearing the Keyboard or Buffer (by C. Westfall)

Your PET has the ability to remember what you've typed, even when it's not scanning for input. The feature is commonly called "Keyboard Buffering". If you depress a key while the PET is executing instructions other than INPUT or GET, your input (up to 10 characters) is stored in the keyboard buffer. When the next INPUT or GET is encountered, your input will then be accepted and utilized by the program. This enables you to answer a question before it is asked thereby speeding up program execution time. However, if you accidently enter a wrong key while the PET is executing instructions, this input is also stored in the buffer. For this reason, it becomes advantageous in certain situations not to accept input, except when called for by the program. This can be done by clearing the keyboard buffer. The following line of code placed immediately before a GET or INPUT will clear the buffer.

10 GET X\$: IFX\$< >""THEN10

Several articles in other publications have suggested the use of the POKE to clear this buffer. Although the POKE 525,0 usually works, it is not recommended because:

- the routine which uses this location is interrupt driven. Changing this buffer index may yield unpredictible results.
- 2) it will make your program machine dependent. In order to incorporate new features in the 16K&32K PET's some memory had to be changed; the keyboard buffer being one of them.

Users' Directory &

Announcements

One of the major advantages in being a member of the PET USERS' CLUB is the ability to get hold of PET related Software and ideas. Although our Master Library of programs is now growing, we get frequent Software inquires for a wide range of applications.

In this issue, we have included the current Users' Directory, containing lists of people writing software, importing literature or starting local PET Groups. If you would like to use your PET for fun and profit, why not offer personal tutoring in PET programming to new PET owners. Alternatively, if you require a program to be written for you, ask for contacts via the USERS' DIRECTORY. The possibilities are endless. Please write to the EDITOR, U.S. PET USERS' CLUB, at our NEW address below.

To include your name in the USERS' DIRECTORY, please complete the follow form:	
TO: THE EDITOR, U.S. PET USERS' CLUB, Commodore Business Machine., 3330 Scott Blvd., Santa Clara, Calif. 95050.	ines
NAME:	
ADDRESS	
SERVICES OFFERED/SPECIALIST AREA OF INTEREST:	
To include as many contacts as possible, we must restrict each USER to only line of description.	one
COMMODORE reserves the right to edit or withdraw any entry.	
*************	* * *

LISTED BELOW ARE PET USERS WHO HAVE RECENTLY SUBMITTED THEIR SPECIALTY OR AREA OF INTEREST TO FURTHER COMMUNICATION WITH PET OWNERS THROUGHOUT THE UNITED STATES. IF YOU WOULD LIKE TO OFFER YOUR SERVICES TO OTHERS, PLEASE FILL OUT THE "USER DIRECTORY" FORM ON THE PREVIOUS PAGE.

NAME AND ADDRESS

SERVICES OFFERED/SPECIALTIES

William Brouillet Rte. 2 Box 228-H Kankakee, Ill, 60901 Tutoring New PET Owners. Writing Financial and Sports Simulated Programs.

Len Bugel RFD 1 Stration Mtn., VT 05155 Business/Engineering Application Software Development Basic and 6502 Machine Code.

Roger C. Garrett Rogers High School Computer Club c/o 16 Grinnell St. Jamestown, RI 02835 Teaching PET. Basic Programming

Bob Krebs c/o Folklife Terminals Box 155 Bronx, N.Y. 10453

Programs well written to Order inexpensively

John M. Morgan M.D. Lankenau Hosp. Lancaster & City Line Ave Phila, PA 19151

Medical application of Microcomputers in Diagnoise, Theruputic and informational processing Especially in the field of Diabetes Melutos.

Route 3 Box 75 Astoria, Ore, 97

Kent Poulsen, Area Vocational Computer aided instruction. Education-Electronics

Kenneth Tong 1800 Taylor Ave., N. 102 Seattle, WA 98109

Education -- application of PET in classroom.

Tycome Associates 68 Velma Ave. Pittsfield, Mass. 01201

Custom Software, PET Basic or machine language.

33

THE LIST OF PET USER GROUPS LISTED BELOW IS BY NO MEANS COMPLETE. PLEASE NOTIFY US IF WE OMITTED YOUR GROUP.

Association of Personal Computer Users 5014 Rodman Rd Bethesda, MD	20016
Amateur Computer Group of New Jersey Box 379 South Bound Brook, NJ	0880
Bambug 1450 53rd St. Emeryville, CA	
JAPS-JACKSONVILLE AREA PET SOCIETY 401 Monument Road #177 Jax, Florida,	32211
Lawrence Hall of Science, UC Berkeley Computer Project, Room 254 Berkeley, CA	94720
Las Vegas PET Users 4884 Iron Ave Las Vegas, Nev.	89110
Lincoln Computer Club 750 E. Yosemite Manteca, CA	95336
Madison PET Users 1400 East Washington Ave. Madison, WI	53703
Northern New England Computer Society P.O. Box 69 Berlin, NH	03570
North Orange County Computer Club 3030 Topaz, Apt. A Fullerton, CA	92361
Northwest PET User Group P.O. Box 482 Vashon, WA	98070
PET User Club (CAPE) 2054 Eakins C7 Reston, VA	22091
PET User Group 2235 Lakeshore Dr Muskegon, MI	49441
PET User Group c/o Meyer 35 Barker Ave White Plains, NY	10610
PET User Group Texas A & M Microcomputer Club, Tex. A & M, Tex	
PET User Group P.O. Box 371 Montgomeryville, PA	18936
PET User Group 2323 Washington Blvd Ogden, Utah	84401
PUG 7170 S.W. llth St., West Hollywood, Fla.	22022
PUG of the Silicone Valley 22355 Rancho VertaCupertino, Calif.	33023
Sacramento PET Workshop P.O. Box 26314 Sacramento CA	
SCOPE	95826
1020 Summit Circle Carrollton, Texas SPHINX	75006
314 10th Ave Oakland, CA St. Louis Club	94606
40 Westwood Court St. Louis, Mo.	63131
The Human SocietyUnited PET Users 1929 Northport Dr. #6 Madison WI	53704
Valley Computer Club P.O. Box 6545 Burbank, CA	91510



ALABAMA

COMPUTERLAND 3020 University Dr., N.W Huntsville, AL 38805 (205) 539-1200

GRICE ELECTRONICS, INC. 3696A Airport Blvd. Mobile, AL 36608 (205) 434-2481

THE LOGIC STORE 3808 Pepperell Parkway Opelika, AL 36801 (205) 745 7735

PLAINSMAN MICRO SYSTEMS P.O. Box 1712 Auburn, AL 36830

ARIZONA

ANCRONA 4518 E. Broadway Tucson, AZ 85711 (602) 881 2348

COMMERCIAL & HOME SYSTEMS, INC. Eastside Executive Park 7840 E Braodway, Suite 113 Tucson, AZ 85710 (602) 886 6850

COMPUTERLAND 3152 E. Camelback Road Phoenix, AZ 85016 (602) 956 5727

MILLET'S ELECTRONIC BUS. MACHINES 621 E. Braodway Mesa, AZ 85204 (602) 964 1600

ADKANCAC

COMPUTER PRODUCTS UNLIMITED 2412 Broadway Little Rock, AR 72206 (501) 371 0449

COMPUTERLAND/LITTLE ROCK The Market Place 11121 Rodney Parham Rd. Little Rock, AR 72212 (501) 224 4508

MICRO MARKETING, INC. 238 Central Mall Ft. Smith, AR 72903 (501) 452-4948

MICRO MARKETING, INC 1000 C E Main Van Buren, AR 70956 (501) 474-8891 (501) 452-4946

CALIFORNIA

ADVANCED COMPUTER PRODUCTS 13108 E. Edinger Santa Ana, CA 92705 (714) 558-8813

AFFORDABLE COMPUTER SYSTEMS (Santa Clara Byte Shop) 3400 El Camino Real Santa Clara, CA 95051 (408) 249 4221

ANCRONA CORPORATION 11080 Jefferson Blvd. Culver City, CA 90230 (213) 390-3595

ANCRONA CORPORATION 6060 Manchester Ave. Los Angeles, CA 90045 (213) 641-9322 ANCRONA CORPORATION

ANCRONA CORPORATIO 1300 E. Edinger Ave. Santa Ana, CA 92705 (714) 547-8424

ANCRONA CORPORATION 1054 E El Camino Real Sunnyvale, CA 94087 (408) 243-4121

APPLE T.V. 2606 S. Robertson Blvd. Los Angeles, CA 90034 (213) 559-4261

BUSINESS ENHANCEMENT CORP. 1/11 E. Valley Parkway, Suite 109 Escondido, CA 92027 (714) 741-6335 BYTE SHOP OF BERKELEY 1514 University Ave. Berkeley, CA 94703 (415) 845-6366 Pete Hollenbeck

BYTE SHOP OF BURBANK 1812 W. Burbank Blvd. Burbank, CA 91506 (213) 843-3633

BYTE SHOP OF CULVER CITY 6435 Green Valley Circle Culver City, CA 90230 (213) 641-2213

BYTE SHOP OF DIABLO VALLEY 2989 N. Main St. Walnut Creek, CA 94596 (415) 933-6252 Charlie Babb

BYTE SHOP OF HAYWARD 1122 B Street Hayward, CA 94541 (415) 537-2983 Mike Lipschutz

BYTE SHOP OF LAWNDALE 16508 Hawthorne Blvd. Lawndale, CA 90260 (213) 371-2421 Disk Moule

BYTE SHOP OF LONG BEACH 5453 E. Stearns St. Long Beach, CA 90815 (213) 597-7771

BYTE SHOP OF MARINA DEL REY c/o G & Y Enterprise 4658 Admiralty Way Marina Del Rey, CA 90291 (213) 822-4384

BYTE SHOP OF MOUNTAIN VIEW 1063 EI Camino Real Mt. View, CA 94040 (415) 969-5465 Boyd Wilson

BYTE SHOP OF NEWPORT BEACH 674 El Camino Real Tustin, CA 92680 (714) 544 4997 Bud Griffin BYTE SHOP OF PALO ALTO

2233 El Camino Real
Palo Alto, CA 94306
(415) 327-8080
Bob Moody
BYTE SHOP OF PASADENA

496 S. Lake Ave. Pasadena, CA 91101 (213) 684-3313 Govinda Singh

BYTE SHOP OF PLACENTIA 123 Yorba Linda Blvd. Placentia, CA 92670 (714) 524-5380 John Schiff

BYTE SHOP OF SACRAMENTO 6041 Greenback Lane Citrus Heights, CA 95610 (916) 961-2983 Wes Westphal

BYTE SHOP OF SAN DIEGO 8250 Vickers H San Diego, CA 92111 (714) 565-8008

BYTE SHOP OF SAN FERNANDO VALLEY 18424 Ventura Blvd. Tarzana, CA 93156 (213) 343-3919 Dick Tasker

BYTE SHOP OF SAN FRANCISCO 321 Pacific Avenue San Francisco, CA 94111 (415) 421-8686 Pete Hollenbeck

BYTE SHOP OF SAN JOSE 2626 Union Avenue San Jose, CA 95124 (408) 377-4685 Bay Lyo BYTE SHOP OF SAN LUIS OBISPO 267 Madonna Road San Luis Obispo, CA 93401 (805) 543-9310 Ron Santore

BYTE SHOP OF SAN MATEO 1200 W. Hillsdale Blvd. San Mateo, CA 94403 (415) 341-4200 Chet Harris

BYTE SHOP OF SAN RAFAEL 509 B Francisco Blvd. San Rafael, CA 94901 (415) 457-9311

BYTE SHOP OF SANTA BARBARA 4 West Mission Santa Barbara, CA 93101 (805) 966-2638 Scott Daley

BYTE SHOP OF SANTA CLARA 3400 El Camino Real Santa Clara, CA 95051 (408) 249-4221 Todd Anderson

BYTE SHOP OF STOCKTON 5518 Florin Rd. Sacramento, CA 95823 (916) 422-9070 Roger Alexander

BYTE SHOP OF SUISUN CITY/FAIRFIELD 87 Alden Street Suisun City, CA 94585 (707) 422-3515 John McDonald

BYTE SHOP OF THOUSAND OAKS 2707 Thousand Oaks Blvd. Thousand Oaks, CA 91360 (805) 497-9595 Joe Kappi

BYTE SHOP OF VENTURA 1555 Morse Avenue Ventura, CA 93003 (805) 647-8945 Bill Nesbitt BYTE SHOP OF WESTMINSTER

14300 Beach Blvd. Westminster, CA 92583 (714) 894-9131 Marti Resmer

CHANNEL DATA SYSTEMS 5960 Mandarin Ave. Goleta, CA 93017 (805) 964-6695 THE COMPUTER CORNER

1925 Yosemite Blvd. Modesto, CA 95351 (209) 529-9967 COMPUTER FORUM 14052 E. Firestone Blvd. Santa Fe Springs, CA 90670 (213) 921-2111

(213) 921-2111 COMPUTERLAND/DUBLIN 6743 Dublin Blvd. Dublin, CA 94566 (415) 828-8090

COMPUTERLAND/EL CERRITO 11074 San Pablo Ave. El Cerrito, CA 94530 (415) 233-5010

COMPUTERLAND/HAYWARD 22634 Foothill Blvd. Hayward, CA 94542 (415) 538-8080

COMPUTERLAND/LOS ALTOS Village Corner 4546 El Camino Real Los Altos, CA 94022 (415) 941-8154

COMPUTERLAND/SADDLEBACK VALLEY 24001 Via Fabricante, #904 Mission Viejo, CA 92630 (714) 770-0131

COMPUTERLAND/SAN BERNARDINO 289 E. Highland Ave. San Bernardino, CA 92404 (714) 886-6838

COMPUTERLAND/SAN DIEGO 4233 Convoy St. San Diego, CA 92111 (714) 560-9912 COMPUTERLAND/SAN FRANCISCO 117 Fremont St. San Francisco, CA 94105 (415) 546-1592

COMPUTERLAND/SAN JOSE 1077 Saratoga-Sunnyvale Road San Jose, CA 95129 (408) 253-8080

COMPUTERLAND/SANTA ROSA 611 Fifth Street Santa Rosa, CA 95405 (707) 528-1775

COMPUTERLAND/SOUTH BAY 16720 S. Hawthorne Blvd. Lawndale, CA 90260 (213) 371-7144

COMPUTERLAND/THOUSAND OAKS 171 E. Thousand Oaks Blvd. Thousand Oaks, CA 91360 (805) 495-3554

COMPUTERLAND/TUSTIN 104 W. First St. Tustin, CA 92680 (714) 544-0542

COMPUTERLAND/WALNUT CREEK 1815 Ygnacio Valley Road Walnut Creek, CA 94598 (415) 935-6502

COMPUTERLAND/W. LOS ANGELES 6840 LaCienega Blvd. Inglewood, CA 90302 (213) 776-8080

COMPUTER PLACE 2539 W. Sepulveda Blvd. Torrance, CA 90505 (213) 325-4754 THE COMPUTER STORE

820 Broadway
Santa Monica, CA 90401
(213) 451-0713
COMPUTER TIMESHARING CORP.

3055 Rosecrans Place San Diego, CA 92110 (714) 565-0505 COMPUTERS UNLIMITED 6840 La Cienega Blvd. Inglewood, CA 90302 (213) 778-8080

DATA EQUIPMENT SUPPLY 4810 E. Firestone Blvd. Southgate, CA 90280 (213) 564-2481

GRASS VALLEY COMPUTER SYSTEMS 18430 Jayhawk Dr. Smartville, CA 95977 (916) 272-2793

JAY-KERN ELECTRONICS 1013 Columbus Bakersfield, CA 93305 (805) 834-6714 (805) 871-5800

K-SMITH ASSOCIATES 11 Mast Court Sacramento, CA 95831 (916) 392-0317 KAROL MUSIC

1515 So. Broadway Santa Maria, CA 93454 (805) 922-8265

MATTHEWS TV & STEREO CITY 6400 Mission Street, Daly City, CA 94014 (415) 992-5400

MATTHEWS TV AND STEREO CITY 214 California Street San Francisco, CA 94104 (415) 781-0200 MR. CALCULATOR

2521 E. Durant Street Berkeley, CA 94704 (415) 848-5629 MR. CALCULATOR

120 Strawberry
Town & Country Village
Mill Valley, CA 94941
(415) 388-8051

MR. CALCULATOR 39 Town & Country Village Palo Alto, CA 94301 (415) 328-0740 MR. CALCULATOR 55 Third St. San Francisco, CA 94108 (415) 543-1541

MR. CALCULATOR 318 Town & Country Village San Jose, CA 95128 (408) 246-5710

OLSON ELECTRONICS 11332 E. South St. Cerritos, CA 90701 (213) 860-0060 OLSON ELECTRONICS

401 Parkway Plaza Fletcher Parkway El Cajon, CA 92020 (714) 440-0233

OLSON ELECTRONICS 4642 W. Century Blvd. Inglewood, CA 90304 (213) 674-5740

OLSON ELECTRONICS 30 North Lake Ave. Pasadena, CA 91101 (213) 796-3134

OLSON ELECTRONICS 680 W. Holt Ave. Pomona, CA 91768 (714) 623-0210

OLSON ELECTRONICS Kearny Mesa, 4840 Convoy St. San Diego, CA 92111 (714) 292-1100

OLSON ELECTRONICS 2519 El Cajon Blvd. San Diego, CA 92104 (714) 297-2946 OLSON ELECTRONICS

1329 S. Main St. Santa Ana, CA 92707 (714) 541-6673 OLSON ELECTRONICS

2125 El Camino Real Santa Clara, CA 95051 (408) 248-4886

PC COMPUTERS 10166 San Pablo Ave El Cerrito, CA 94530 (415) 527-6657

PROGRAMMABLE ELECTRONIC CALCULATORS 1748 W. Chapman Ave. Orange, CA 92668 (714) 997-2280

RADIO MART 1075 Cypress Avenue Redding, CA 96001 (916) 241-3000

COLORADO

AMPTEC 2310 Providence Circle Colorado Springs, CO 80909 (303) 597-5384

AMPTEC 5975 N. Broadway Denver, CO 80216 (303) 571-0833

BYTE SHOP OF BOULDER 3101 Walnut Street Boulder, CO 80301 (303) 444-6550 Herman Axelrod

BYTE SHOP OF COLORADO SPRINGS 1845 N. Circle Drive Colorado Springs, CO 80909 (303) 633-7075 Ralph Pullman

BYTE SHOP OF DENVER Cherry Creek Shopping Ctr. 1st Ave. & University Denver, CO 80206 (303) 399-8995 Herman Axelrod

COMPUTERLAND/COLORADO SPRINGS 4543 Templeton Gap Road Colorado Springs, CO 80909 (303) 574-4150

COMPUTERLAND/DENVER 2422 S. Colorado Blvd. Denver, CO 80222 (303) 759 4685

GATEWAY ELECTRONICS 2839 West 44th Ave. Denver, CO 80211 (303) 458-5440

MICRO COMPUTER INDUSTRIES 1532 E. Mulberry Ft. Collins, CO 80521 (303) 221-1955

MICRO COMPUTER MANAGEMENT 200 West Prospect Rd. Ft. Collins, CO 80526 (303) 493-5700

MICRO WORLD ELECTRONIX 6340 West Mississippi Lakewood, CO 80226 (303) 936-4407

CONNECTIOU

COMPUTERLAND/FAIRFIELD 2475 Black Rock Turnpike Fairfield, CT 06430 (203) 374-2227

COMPUTER WORKS, INC. 1439 Post Road East Westport, CT 06880 (203) 255-9096

MULTI BUSINESS COMPUTER SYSTEMS Portland Professional Center 28 Marlborough St. Portland, CT 06480 (203) 342-2747 (203) 247-5937

DELAWARE

COMPUTERLAND/NEW CASTLE COUNTY Astro Shopping Center Kirkwood Highway Newark, DE 19771 (302) 738-9656

FLORIDA

BYTE SHOP OF COCOA P.O. Box 443 Cocoa Beach, FL 32931 (305) 784-1881

BYTE SHOP OF FT. LAUDERDALE 1044 E. Oakland Pk. Ft. Lauderdale, FL 33334 (305) 784-1881 Dalton/Feigh

BYTE SHOP OF MIAMI 7825 Bird Road Miami, FL 33155 (305) 264-2983 Dalton/Feigh

COMPUTERLAND/BOCA RATON 500 E. Spanish River Blvd. Boca Raton, FL 33432 (305) 368-1122

COMPUTERLAND/FT. LAUDERDALE 3993 North Federal Highway Ft. Lauderdale, Ft. 33308 (305) 566-0706 (305) 566-0805

COMPUTERS FOR YOU 3608 West Broward Blvd. Ft. Lauderdale, FL 33312 (305) 581 8945

FLORIDA BOOK STORE 1614 West University Ave. Gainesville, FL 32604 (904) 376-6066

FOCUS SCIENTIFIC ENTERPRISES 1601 Biscayne Blvd. Miami, FL 33132 (305) 358-3948

GRICE ELECTRONICS, INC. 417A Mary Esther Cutoff Ft. Walton Beach, FL 32548 (904) 244-3168

GRICE ELECTRONICS, INC. 725 E. 23rd St. Panama City, FL 32405 (904) 769-2151

GRICE ELECTRONICS, INC. 7171 N. Davis Hwy. Pensacola, FL 32504 (904) 476-0042

GRICE ELECTRONICS, INC. 266 Brent Lane P. O. Box 1911 Pensacola, FL 32589 (904) 477-8100

OLSON ELECTRONICS 5833 Ponce de Leon Blvd. Coral Gables, FL 33146 (305) 666-3327

OLSON ELECTRONICS 2808 N. Federal Highway Ft. Lauderdale, FL 33306 (305) 566-7819 OLSON ELECTRONICS 40 West 49th St. Hialeah, FL 33012 (305) 823-1600

OLSON ELECTRONICS 2318 Hollywood Blvd. Hollywood, FL 33020 (305) 925-7272

OLSON ELECTRONICS 1644 N.E. Second Ave. Miami, FL 33132 (305) 374-4121

OLSON ELECTRONICS 6901 22nd Ave., N. Tyrone Square Mall St. Petersburg, FL 33710 (813) 345-9119

OLSON ELECTRONICS 1215 S. Dale Mabry Highway Tampa, FL 33609 (813) 253-3129

GEORGIA

ANCRONA 3330 Peidmont Rd. Atlanta, GA 30305 (404) 261-7100

ATLANTA COMPUTER MART 5091-B Buford Highway Atlanta, GA 30340 (404) 455-0647

COMPUTERLAND/MARIETTA Cumberland Square North 2423 Cobb Parkway Smyrna, GA 30080 (404) 953-0406

THE LOGIC STORE 3050 Macon Road Columbus, GA 31906 (404) 568-0197

OLSON ELECTRONICS 2571 North Decatur Road Decatur, GA 30033 (404) 378-4201

HAWAII

COMPUTERLAND/HAWAII 567 South King St. Honolulu, HI 96813 (808) 521 8002

IDAHO

CIMCO DISTRIBUTORS, INC. 1016 Park Lane Pocatello, ID 83201 (208) 237-2448

WORLD TOY & HOBBYCRAFT, INC. 7820 Fairview Ave. Boise, ID 83704 (208) 376-3561 (209) 372-3429

ILLINOIS

BYTE SHOP OF LA GRANGE 5 S. La Grange Road La Grange, IL 60525 (312) 579-0920 Bill Rose

BYTE SHOP OF URBANA 1602 S. Neil Street Champaign, IL 61820 (217) 352-2323 Dave Peters

COMPUTERLAND/NILES 9511 N. Milwaukee Ave. Niles, IL 60648 (312) 967-1714

COMPUTERLAND/OAK LAWN 10935 S. Cicero Ave. Oak Lawn, IL 60453 (312) 422-8080

COMPUTER LAND/PEORIA 4507 N. Sterling Peoria, IL 61614 (309) 688-6252

FINANCIAL DYNAMICS COMPUTING 1305 N. Harlem Oak Park, IL 60302 (312) 848-7500

KAPPEL'S COMPUTER STORE 125 E. Main St. Belleville, IL 62220 (618) 277-2354

LILLIPUTE COMPUTER MART, INC. 4446 Oakton St. Skokie, IL 60076 (312) 674-1383

MR. CALCULATOR 1038 Northbrook Court Northbrook, IL 60062 (312) 272-2520 OLSON ELECTRONICS 4101 N. Milwaukee Ave. Chicago, IL 60641 (312) 545-7336

OLSON ELECTRONICS 123 North Western Ave. Chicago, IL 60612 (312) 421-3533

OLSON ELECTRONICS 2641 West 95th St. Chicago, IL 60642 (312) 425-6192

OLSON ELECTRONICS 1734 Ogden Ave. Downers Grove, IL 60515 (312) 852-9650

OLSON ELECTRONICS 721 W. Golf Road Hoffman Estates, IL 60194 (312) 882 7330

OLSON ELECTRONICS 1354 Winston Plaza Melrose Park, IL 60160 (312) 344-6200

OLSON ELECTRONICS 6231 Dempster St. Morton Grove, IL 60053 (312) 966-6700

PERSONAL COMPUTER OF CHICAGO 100 East Ohio St. Chicago, IL 60611 (312) 337-6744

PRESCRIPTION LEARNING 5240 South Sixth Street Rd. Springfield, IL 62705 (217) 786-2500

STEREOTRONIC INDUSTRIES Wadsworth Road and North Avenue Zion, IL 60099 (312) 336-2222

INDIANA

AUDIO SPECIALISTS 415 N. Michigan South Bend, IN 46601 (219) 234-5001

BYTE SHOP OF INDIANAPOLIS 8077 Bramwood Court Indianapolis, IN 46250 (317) 842-2983 Bruce Barker

COMMUNICATIONS ELECTRONICS, INC 2204 Grand Ave. Connersville, IN 47331 (317) 825-6893

THE COMPUTER CENTER 19819 Orchard St. South Bend, IN 46637 (219) 272-0252

GRAHAM ELECTRONIC SUPPLY 6101 N. Keystone Indianapolis, IN 46220 (317) 263-4261

GRAHAM ELECTRONIC SUPPLY 133 S. Pennsylvania St. Indianapolis, IN 46204 (317) 634-8202

OLSON ELECTRONICS 5353 N. Keystone Indianapolis, IN 46220 (317) 253-1584

IOWA

THE COMPUTER CENTER 302 Commercial Waterloo, IO 50701

THE COMPUTER STORE OF DAVENPORT 4128 Brady St. Davenport, 10 52806 (319) 386-3330

KANSAS

BYTE SHOP OF MISSION 5815 Johnson Drive Mission, KS 66202 (913) 432-2983 Dave Land

COMPUTERLAND/OVERLAND PARK 10049 Santa Fe Drive Overland Park, KS 66212 (913) 492-8882

THE COMPUTER ROOM 7105 W. 105th St. Overland Park, KS 66212 (913) 648-7105

COMPUTER SYSTEMS DESIGN 906 North Main Wichita, KS 67214 (316) 265-1120 MAIN ELECTRONICS 225 Ida Wichita, KS 67211 (316) 267-3581

KENTUCKY

BARNEY MILLER'S, INC. 232 E. Main St. Lexington, KY 40507 (606) 252-2216

COMPUTERLAND/LOUISVILLE 813 E. Lyndon Lane Louisville, KY 40222 (502) 425-8308

MICROTECH, INC. 1127 So. 6th St. Louisville, KY 40203 (502) 587 8099 OLSON ELECTRONICS

117 Southland Dr. Lexington, KY 40503 OLSON ELECTRONICS 4137 Shelbyville Rd.

LOUISIANA

COMPUTER PLACE 3340 Highland Rd. P.O. Box 1413 Baton Rouge, LA 70821 (504) 387-0072

COMPUTER SHOPPE, INC. 3225 Danny Park Metairie, LA 70002 (504) 454-6600

FREEMAN ELECTRONICS 708 No. 7th St. West Monroe, LA 71291 (318) 388-2312

VIDEO SPECTRUM 6601 Veterans' Memorial Blvd. Metairie, LA 70003 (504) 885-6527

MARYLAND

COMPUTERLAND/GAITHERSBURG 16065 Frederick Road Route 355 Rockville, MD 20855 (301) 948-7676

COMPUTERS, ETC. 13A Allegheny Ave. Towson, MD 21204 (301) 296-0520

DELMARVA COMPUTER 19 No. Harrison St. Easton, MD 21601 (301) 822-6613

MAC'S MERCHANDISE MART 7140 Fairbrook Road Baltimore, MD 21207 (301) 298-0473

THE MATH BOX, INC. 2621 University Blvd. West Wheaton, MD 20902 (301) 833-6555

YOUR OWN COMPUTER, LTD. Kettering Plaza Shopping Cntr. 10678 Campus Way South Upper Marlboro, MD 20870 (202) 783-0390

MASSACHUSETTS

COMPUTER SHOP 11000011 288 Norfolk St.—Cor. Hampshire Cambridge, MA 02139 (617) 661-2670

MARKLINE 411 Waverly Oaks Road Waltham, MA 02154 (617) 891-6250

NEW ENGLAND ELECTRONICS CO. 248 Bridge St. Springfield, MA 01103 (413) 739-9626

OLSON ELECTRONICS 817-821 Boylston Boston, MA 02116 (617) 267-4700

OLSON ELECTRONICS Hanover Mall Hanover, MA 02339 (617) 826-5196

OLSON ELECTRONICS North Shore Shopping Center Peabody, MA 01960 (617) 532-0800

RETAIL COMPUTER CENTER, INC. 455 Center St. Ludlow, MA 01056 (413) 589 0106

MICHIGAN

COMMUNICATIONS ELECTRONICS 854 Phoenix Ann Arbor, MI 48106 (313) 994 4444

COMPUTER HOUSE 1407 Clinton Road Jackson, MI 49202 (517) 783-5343

COMPUTERLAND/GRAND RAPIDS 2927 28th Street, S.E. Kentwood, MI 48508

COMPUTERLAND/SOUTHFIELD 29763 Northwestern Highway Southfield, MI 48034 (313) 356-8111

COMPUTERMART OF ROYAL OAK 560 W. 14 Mile Rd. Royal Oak, MI 48073 (313) 288-0040

COMPUTRONIX CORP. 423 Saginaw Road Midland, MI 48640 (517) 631-8060

ERIC ELECTRONICS 10721 W. Ten Mile Road Oak Park, MI 48237 (313) 547-0203

LAFAYETTE RADIO ELECTRONICS ASSOC. STORE Eric Electronics 3430 Washtenaw Ann Arbor, MI 48104 (313) 971-5420

LAFAYETTE RADIO ELECTRONICS ASSOC. STORE Eric Electronics 1326 Broadway Detroit, MI 48226 (313) 961-2955

LAFAYETTE RADIO ELECTRONICS ASSOC. STORE Eric Electronics 1375 E. Grand River Ave. East Lansing, MI 48823 (517) 332-8676

LAFAYETTE RADIO ELECTRONICS ASSOC. STORE Eric Electronics 29400 Orchard Lake Road Farmington, MI 48024 (313) 626 4594

LAFAYETTE RADIO ELECTRONICS ASSOC. STORE Eric Electronics 3142-28th St. Grand Rapids, MI 49508 (616) 949-8590

LAFAYETTE RADIO ELECTRONICS ASSOC. STORE Eric Electronics 214 N. Rose St. Kalamazoo, MI 49006 (616) 381-5164

LAFAYETTE RADIO ELECTRONICS ASSOC. STORE Eric Electronics 33760 Plymouth Road Livonia, MI 48150 (313) 261-0600

LAFAYETTE RADIO ELECTRONICS ASSOC. STORE Eric Electronics 31873 Gratiot Roseville, MI 48066 (313) 268-8550

(313) 268-8500

LAFAYETTE RADIO ELECTRONICS
ASSOC. STORE
Eric Electronics
3460 West Road
Trenton MI 48183

(313) 675-7900

LAFAYETTE RADIO ELECTRONICS
ASSOC: STORE
Eric Electronics
3127 W. Huron
Waterford, MI 48095
(313) 681-7400

NEWMAN COMPUTER EXCHANGE 1250 N. Main St. Ann Arbor, MI 48107 (313) 994-3200

OLSON ELECTRONICS 15847 Southfield Road Allen Park, MI 48101 (313) 388-9150

OLSON ELECTRONICS 1990 Woodward Ave. Bloomfield Hills, MI 48013 (313) 334-4759

OLSON ELECTRONICS 15620 Grand River Ave. Detroit, MI 48227 (313) 838-0777

OLSON ELECTRONICS 19045 Middlebelt Road Livonia, MI 48152 (313) 477-0280

OLSON ELECTRONICS 29121 DeQuindre Madison Heights, MI 48071 (313) 546-0190

OLSON ELECTRONICS 37627 Gratiot Ave. Mt. Clemens, MI 48043 (313) 463 7074, 7075

OLSON ELECTRONICS 200 N. Wayne Road Westland, MI 48185 (313) 722 3440

TRI-CITIES COMPUTER MART 3145 Shattuck Road Saginaw, MI 48603 (517) 790-1360

MINNESOTA

COMPUTER DEPOT 3615 W. 70th St. Minneapolis, MN 55436 (612) 927-5601

COMPUTERLAND/BLOOMINGTON 8070 Morgan Circle Dr. Bloomington, MN 55431 (612) 884-1474

MINNESOTA MICRO SYSTEMS 514 Cedar Avenue South Minneapolis 55454 (612) 338 5604

MISSOUR

CDC ASSOCIATES, INC. 235 Dunn Rd. Florissant, MO 63031 (314) 921 4433

COMPUTERLAND/SPRINGFIELD 1722 W W. So. Glenstone Springfield, MO 65804 (417) 883-7085

COMPUTER MART 1915 Noland Road Independence, MO 64055 (816) 461 5005

FORSYTHE COMPUTERS 11966 St. Charles Rock Road Bridgeton, MO 63044 (314) 739-8300

GATEWAY ELECTRONICS CORP. 8123 25 Page Blvd. St. Louis, MO 63130 (314) 427 6116

PARSONS ELECTRONICS 1059 Venture Dr. St. Charles, MO 63301 (314) 723 2227

MONTANA

BYTE SHOP OF BILLINGS 1201 Grand Ave., Suite 3 Billings, MT 59102 (406) 252-2299 Richard Johnson

THE COMPUTER STORE 3548 Miles Ave. Billings, MT 59102 (406) 656-2365

VARITRON Box 729 Chinook, MT 59523 (406) 357-2116

NEBRASKA

BYTE SHOP OF OMAHA 8523 Park Drive Omaha, NE 68127 (402) 339-7350 Hal Bohannon

OMAHA COMPUTER STORE 4540 S. 84th St. Omaha, NE 68127 (402) 592-3590

NEVADA

BYTE SHOP OF RENO 4104 S. Kietzke Lane Reno, NV 89502 (702) 826-8080 Chuck Growdon

HOME COMPUTERS 1775 Tropicana Las Vegas, NV 89109 (702) 736-6363 INGENUITY, INC. 1562 Linda Way Sparks, NV 89431 (702) 359.6671

NEW HAMPSHIRE

COMPUTERLAND/NASHUA 419 Amherst Nashua, NH 03060 (603) 889-5238

NEW JERSEY

COMPUTERLAND/BERGEN COUNTY 35 Plaza Highway E65, Route 4 Paramus, NJ 07652 (201) 845-9303

COMPUTERLAND/CHERRY HILL Pine Tree Plaza 1442 E. Route 70 Cherry Hill, NJ 08034

COMPUTERLAND/MORRISTOWN 2 DeHart St. Morristown, NJ 07960 (201) 539 4077

THE COMPUTER NOOK Pine Brook Plaza Route 46 Pinebrook, NJ 07058 (201) 575-9468

NEW YORK

AMERICAN PERIPHERALS 3 Bangor Street Lindenhurst, NY 11747 (516) 587-2615

APOLLO DISTRIBUTORS 39 Woodland Farmingdale, NY 11735 (516) 420 8642

A.S.D. OFFICE SYSTEMS Van Wyck Plaza Pough keepsie, NY 12603 (914) 473-9400

BYTE SHOP OF LEVITTOWN 2721 Hempstead Tnpk. Lexington & 40th (Extension of Levittown) Levittown, NY 11756 (516) 731-8116 Adams/Barton

THE COMPUTER CORNER White Plains Mall 200 Hamilton Ave. White Plains, NY 10601 (914) 949-3282

COMPUTER FACTORY 485 Lexington Ave. New York, NY 10017 (212) 687-5001

COMPUTER GENERAL STORE 103 Atlantic Ave. Lynbrook, NY 11563 (516) 887-1500

COMPUTER HOUSE, INC. 721 Atlantic Ave. Rochester, NY 14609 (716) 654 9238

COMPUTERLAND/BUFFALO 1612 Niagara Falls Blvd. Buffalo, NY 14150 (716) 836-6511

COMPUTERLAND/ITHACA 225 Elmira Rd. Ithaca, NY 14850

COMPUTER MART OF NEW YORK 118 Madison Ave. New York, NY 10016 (212) 686-7923

(212) 686-7923 COMPUTER MICROSYSTEMS

Manhasset, NY 11030 (516) 627-3640 COMPUTER SHOP OF SYRACUSE

3470 E. Erie Blvd.
DeWitt, NY 13214
(315) 446-1284

COMPUTER WORLD 519 Boston Post Rd. Port Chester, NY 10573 (914) 937-6662

MEIZNER BUSINESS MACHINES 24 Lorraine Ave. Mt. Vernon, NY 10553

NORTH CAROLINA

BYTE SHOP OF CHARLOTTE 6341 Albemarie Road Charlotte, NC 28212 (704) 568-8100 Guy Alleun BYTE SHOP OF GREENSBORO 218 N. Elm Street Greensboro, NC 27410 (919) 272-2983 Robert Terrell

BYTE SHOP OF RALEIGH c/o Carolina Info. Systems P.O. Box 10534 1213 Hillsborough St. Raleigh, NC 27605 (919) 833-0210 Tim Collins

CAROLINA INFORMATION SYSTEMS P.O. Box 10534 Raleigh, NC 27605 (919) 833-0210

COMPUTERLAND/CHARLOTTE 3915 E. Independence Blvd. Charlotte, NC 28205 (704) 536-8500

THE COMPUTER ROOM 1100 E. Morehead St. Charlotte, NC 28204 (704) 377-9821

NORTH DAKOTA

OHIO

ASTRO VIDEO ELECTRONICS 504 E. Main St. Lancaster, OH 43130 (614) 687-0629

BYTE SHOP OF COLUMBUS c/o The Wry Corp. 2432 Chester Lane Columbus, OH 43221 (614) 486-7761 Bob Yorde

BYTE SHOP OF ROCKY RIVER 19542 Center Ridge Rd. Rocky River, OH 44016 (216) 333-3261

COMPUTERLAND/CLEVELAND EAST 1288 SOM Center Road Mayfield Heights, OH 44124 (216) 461-1200

DAYTON COMPUTER MART 2665 So. Dixie Ave. Dayton, OH 45409 (513) 296-1248

GRAHAM ELECTRONICS SUPPLY 239 Northland Blvd. Cincinnati, OH 45215 (513) 772-1661

McSHANE, INC. 123 West Washington Medina, OH 44265 (216) 725-4568

MICRO MINI COMPUTER WORLD, INC. Town and Country Shopping Center 62 Country Road P.O. Box 13207 Columbus, 0H 43213 (614) 235-5813

OLSON ELECTRONICS 69 West State St. Akron, OH 44308 (216) 762-0301

OLSON ELECTRONICS 1994 Brittain Rd. Akron, OH 44310 (216) 633-4338

OLSON ELECTRONICS 3265 West Market St., Room 108 Akron, OH 44313 (216) 864-3407

OLSON ELECTRONICS 2020 Euclid Ave. Cleveland, OH 44115 (216) 621-6387

OLSON ELECTRONICS 6813 Pearl Road Cleveland, OH 44130 (216) 845-2424

OLSON ELECTRONICS 6153 Mayfield Road Cleveland, OH 44124 (216) 449-2690

OLSON ELECTRONICS 21850 Center Ridge Road Cleveland, OH 44116 (216) 331-4600

OLSON ELECTRONICS 1975 Henderson Road Columbus, OH 43220 (614) 451-3245

OLSON ELECTRONICS 7401 Market St. Southern Park Mall Youngstown, OH 44512 (216) 758-3828 RIKE'S 1111 South Miami Blvd. West Dayton, OH 45401 (513) 225 8457

OKLAHOMA

OREGON

ANCRONA 1125 NE 82nd Ave. Portland, OR 97220 (503) 254-5541

COMPUTER PATHWAYS UNLIMITED, INC. 145 Alice St. South Salem, OR 97302 (503) 399-0534

PENNSYI VANIA

A. B. COMPUTERS 1411 West Callowhill Road Perkasie, PA 18944 (215) 257-8195

BYTE SHOP 1045 West Lancaster Ave. Bryn Mawr, PA 19010 (215) 525-7712 Dick Smith

COMPUTER AID Latrobe 30 Shopping Plaza Route 30 East Latrobe, PA 15650 (412) 539-1133

COMPUTERLAND/HARRISBURG 4644 Carliste Pike Mechanicsburg, PA 17055 (717) 763-1116

GLOSSER BROS., INC. Franklin & Locust Sts. Johnstown, PA 15901 (814) 536-6633

GREY FOX ELECTRONICS Main & Reliance Telford, PA 18969 (215) 723-3831

MARKETLINE SYSTEMS 2337 Philmont Ave. Huntingdon Valley, PA 19006 (215) 947-6670

MR. CALCULATOR 1700 Samson Philadelphia, PA 19103 (215) 568-0486

OLSON ELECTRONICS 5918 Penn Ave. Pittsburgh, PA 15206 (412) 362-1333

OLSON ELECTRONICS 3405 Saw Mill Run Road Pittsburgh, PA 15227 (412) 881-0702

OLSON ELECTRONICS 4778 McKnight Road Pittsburgh, PA 15237 (412) 366-7298

PUERTO RICO

MICRO COMPUTER STORE OF PUERTO RICO 1568 Avenue Jesus T. Pinero (antes Central) Caparra Terrace, Rio Piedras Puerto Rico 00921 (R09) 781-0350

RHODE ISLAND

SOUTH CAROLINA

BYTE SHOP OF COLUMBIA 2018 Green Street Columbia, SC 29205 (803) 771-7824 Reynolds Tokunaga

SOUTH DAKOTA

TENNESSEE

BYTE SHOP OF KNOXVILLE 5613 Kingston Pike Knoxville, TN 37919 (615) 584-8365 (615) 546-6363 AI Miller

THE COMPUTER STORE, INC. 2910 Southway Memphis, TN 38118 (901) 794-1854

TEXAS

ANCRONA 2649 Richmond Ave. Houston, TX 77098 (713) 529-3489 COMPUTE RLAND/AUSTIN Shoal Creek Plaza 3300 Anderson Lane Austin, TX 78757

COMPUTERLAND/DALLAS The Corner Shopping Center 8061 Walnut Hill Lane, Suite 912 Dallas, TX 75231 (214) 363-2223

COMPUTERLAND/HOUSTON-BAY AREA 1018 Willowvale Seabrook, TX 77586 (713) 474-4808

COMPUTERLAND/S.W. HOUSTON 6439 Westheimer Houston, TX 77057 (713) 977-0909

THE COMPUTER SHOP 6812 San Pedro San Antonio, TX 78216 (512) 828-0553

COMPUTER SOLUTIONS, INC. Suite Two, 6700 Sanger Ave. Waco, TX 76710 (817) 772-3165

ECLECTIC RENTALS 2830 Walnut Hill Lane Dallas, TX 75229 (214) 358-1307 FOLEYS 2103 Ernestine

Houston, TX 77023

KA ELECTRONIC SALES
1220 Majest Drive
Dallas, TX 75247
(214) 634-7870

KA ELECTRONIC SALES 1117 S. Jupiter Road Garland, TX 75042 (214) 494-2588

ПΤΔΗ

ADP SYSTEMS 95 West 100 South Logan, UT 84321 (801) 752-2770

BYTE SHOP 261 S. State St. Salt Lake City, UT 84111 (801) 355-1041 Bob Bolinder

CENTRAL UTAH ELECTRONICS SUPPLY 735 S. State St. Provo, UT 84601 (801) 373-7522

COMPUTERLAND/SALT LAKE CITY 161 E. 2nd South Salt Lake City, UT 84111 (801) 364-4416

THE HI-FI SHOP 2236 Washington Blvd. Ogden, UT 84401 (801) 621-5244

THE HI-FI SHOP 4680 Holladay Blvd. Salt Lake City, UT 84117 (801) 277-2629

VERMONT

VIRGINIA

COMPUTERLAND/WASHINGTON D.C. 8411 Old Courthouse Road Vienna, VA 22180

COMPUTER SYSTEMS STORE 1984 Chain Bridge Road McLean, VA 22101 (703) 821-8333

RMS TECHNOLOGY, INC. 706 Industry Drive Hampton, VA 23661 (804) 838-2458

SCIENTIFIC TRADING, INC. 2990 Telestar Court, Room 115 Falls Church, VA 22042 (703) 573-8787

COW, INC. 407 Hampton Court Blacksburg, VA 24060 (703) 552-4923

WASHINGTO

AMERICAN MERCANTILE CO., INC. 2418 First Ave. South Seattle, WA 98134 (206) 624-6141

COMPUTERLAND/BELLEVUE 14340 N.E. 20th Bellevue, WA 98007 (206) 746-2070

COMPUTERLAND/SO. KING COUNTY 1500 So. 336th St. Parkway Center, Suite 12 Federal Way, WA 98003 (206) 838-9363

COMPUTERLAND/TACOMA 8791 S. Tacoma Way Tacoma, WA 98449 (206) 581-0388

MICRO COMPUTER CENTER 11822 NE 8th St. Bellevue, WA 98005 (206) 455-3710

OMEGO COMPUTERS 1032 N.E. 65th Seattle, WA 98004 (206) 522-0220

PERSONAL COMPUTERS, INC. South 104 Freya Spokane, WA 99202 (509) 534-3955 WEST VIRGINIA

WISCONSIN

BYTE SHOP OF MILWAUKEE 6019 W. Layton Ave. Greenfield, WI 53220 (414) 281-7004 COLORTRON 2111 Lathrop Ave.

COLORTRON 2111 Lathrop Ave. Racine, WI 53405 (414) 637-2020 COMPUTERLAND/MADISON 690 So. Whitney Way Madison, WI 53711

(608) 273-2020 COMPUTERLAND/MILWAUKEE 10111 West Capitol Dr. Milwaukee, WI 53222 (414) 466-8990 MADISON COMPUTER STORE 1825 Monroe St. Madison, WI 53711 (608) 255-5552

OLSON ELECTRONICS 3125 S. 108th St. West Allis, WI 53227 (414) 541-1406

WYOMING

COMMODORE INTERNATIONAL OFFICES

COMMODORE BUSINESS MACHINES, INC. 3330 Scott Blvd. Santa Clara, CA 95050

COMMODORE/MOS Valley Forge Corporate Center 950 Rittenhouse Road Norristown, PA 19401, USA

COMMODORE BUSINESS MACHINES LIMITED 3370 Pharmacy Avenue Agincourt, Ontario, Canada M1W2K4

COMMODORE SYSTEMS DIVISION 360 Euston Rd. London NW1 3BI, England COMMODORE BUROMASCHINEN GmbH Frankfurter Strasse 171-175 6078 New Isenburg West Germany

COMMODORE JAPAN LIMITED Taisei-Denshi Building 8-14 1kue 1-Chomeasahi-Ku, Osaka 535, Japan

COMMODORE ELECTRONICS (HONG KONG) LTD. Watsons Estates Block C, 11th Floor Hong Kong, Hong Kong

